Assignment 1: CS21003 Algorithms 1

Prof. Partha Pratim Chakrabarti and Palash Dey Indian Institute of Technology, Kharagpur

Submit by 11:59 PM of January 26, 2022

1. Compute asymptotic complexity of T(n) in terms of Θ for the following recurrence.

$$T(n) = \begin{cases} T\left(\lceil n^{\frac{1}{4}} \rceil\right) + T\left(\lceil n^{\frac{6}{11}} \rceil\right) + 11 \log n & \text{if } n \ge 518\\ 1 & \text{otherwise} \end{cases}$$

[4 Marks]

- 2. Prove or disprove:
 - (a) There exists a constant c > 1 such that $(\log_2 n)! = O(n^c)$
 - (b) If $k \log k = \Theta(n)$ then $k = \Theta\left(\frac{n}{\log n}\right)$

[2+2 Marks]

3. Find the fallacy: $2^n = O(2^{n-1}) = O(2^{n-2}) = \cdots = O(1)$

[2 Marks]

- 4. There are n food items to be cooked. Two different cookers H₁ and H₂ are available. Each food item f_i requires h1_i and h2_i times to be cooked on cookers H₁ and H₂ respectively. We are to develop a cooking plan so that the total time to cook all the n food items is minimized.
 - (a) Develop a recursive definition for the problem.
 - (b) Prove the correctness of your algorithm.
 - (c) Analyze the complexity of your algorithm based on (a).
 - (d) Develop the recursion tree and present its properties.
 - (e) Choose the way to develop your algorithm, justifying your choices.
 - (f) Decide on the data structures.
 - (g) Present the final algorithm.
 - (h) Analyze its complexity.
 - (i) Show the working on (a), (d) and (h) on a non-trivial example of 10 food items.
 - (j) Would your algorithm change if H₂ required double the time on each food item compared to cooker H₁? Explain in details and justify your answer both logically, analytically as well as with illustrative examples.

[10 Marks]