

---

**Linked Lists**

# **CS10001: Programming & Data Structures**

**Sudeshna Sarkar**

**Dept. of Computer Sc. & Engg.,  
Indian Institute of Technology  
Kharagpur**

# Arrays: pluses and minuses

---

- + Fast element access.
  - Impossible to resize.
- 
- Many applications require resizing!
  - Required size not always immediately available.

# Dynamic memory allocation: review

```
typedef struct {
    int hiTemp;
    int loTemp;
    double precip;
} WeatherData;

int main () {
    int numdays;
    WeatherData * days;
    scanf ("%d", &numdays) ;
    days=(WeatherData *)malloc (sizeof(WeatherData)*numdays);
    if (days == NULL) printf ("Insufficient memory");
    ...
    free (days) ;
}
```

# Self Referential Structures

- A structure referencing itself – how?



So, we need a pointer inside a structure that points to a structure of the same type.

```
struct list {  
    int data;  
    struct list *next;  
};
```

# Self-referential structures


```
struct list {  
    int data ;  
    struct list * next ;  
};
```

The pointer variable **next** is called a **link**.  
Each structure is linked to a succeeding structure  
by next.

# Pictorial representation

---

A structure of type struct list






The pointer variable next contains either

- an address of the location in memory of the successor list element
- or the special value **NULL** defined as 0.

**NULL** is used to denote the end of the list.


```
struct list a, b, c;  
a.data = 1;  
b.data = 2;  
c.data = 3;  
a.next = b.next = c.next = NULL;
```



# Chaining these together

---

```
a.next = &b;  
b.next = &c;
```





What are the values of :

- a.next->data
  - a.next->next->data
- |   |   |
|---|---|
| 2 | 2 |
| 3 | 3 |

# Linked Lists


- A singly linked list is a concrete data structure consisting of a sequence of nodes
- Each node stores
  - element
  - link to the next node



# Linear Linked Lists

- A head pointer addresses the first element of the list.
- Each element points at a successor element.
- The last element has a link value NULL.

head



# Header file : list.h


---

```
#include <stdio.h>
#include <stdlib.h>
typedef char DATA;
struct list {
    DATA d;
    struct list * next;
};
typedef struct list ELEMENT;
typedef ELEMENT * LINK;
```

# Storage allocation

```
LINK head ;  
head = malloc (sizeof(ELEMENT));  
head->d = 'n';  
head->next = NULL;
```

creates a single element list.




# Storage allocation

```
head->next = malloc (sizeof(ELEMENT));
```

```
head->next->d = 'e';
```

```
head->next->next = NULL;
```


A second element is added.



# Storage allocation

```
head->next->next = malloc (sizeof(ELEMENT));  
head->next->next->d = 'w';  
head->next->next-> = NULL;
```

We have a 3 element list pointed to by head.  
The list ends when next has the sentinel value NULL.



# List operations

---

## List operations

- (i) How to initialize such a self referential structure (LIST),
- (ii) how to insert such a structure into the LIST,
- (iii) how to delete elements from it,
- (iv) how to search for an element in it,
- (v) how to print it,
- (vi) how to free the space occupied by the LIST?

# Produce a list from a string (recursive version)

---


```
#include "list.h"
LINK StrToList (char s[]) {
    LINK head ;
    if (s[0] == '\0')
        return NULL ;
    else  {
        head = malloc (sizeof(ELEMENT));
        head->d = s[0];
        head->next = StrToList (s+1);
        return head;
    }
}
```

```
#include "list.h"
LINK SToL (char s[]) {
    LINK head = NULL, tail;
    int      i;
    if (s[0] != '\0')  {
        head = malloc (sizeof(ELEMENT));
        head->d = s[0];
        tail = head;
        for (i=1; s[i] != '\0'; i++)  {
            tail->next = malloc(sizeof(ELEMENT));
            tail = tail->next;
            tail->d = s[i];
        }
        tail->next = NULL;
    }
    return head;
}
```

## list from a string (iterative version)


# Inserting at the Head

1. Allocate a new node
2. Insert new element
3. Make new node point to old head
4. Update head to point to new node






# Removing at the Head

1. Update head to point to next node in the list
2. Allow garbage collector to reclaim the former first node




# Inserting at the Tail

1. Allocate a new node
2. Insert new element
3. Have new node point to null
4. Have old last node point to new node
5. Update tail to point to new node



# Removing at the Tail

- Removing at the tail of a singly linked list cannot be efficient!
- There is no constant-time way to update the tail to point to the previous node




# Insertion

---

To insert a data item into an ordered linked list involves:

- **creating a new node containing the data,**
- **finding the correct place in the list, and**
- **linking in the new node at this place.**

# Example of an Insertion



- Create new **node for the 7**
- Find **correct place – when ptr finds the 8 ( $7 < 8$ )**
- Link in new node with previous (even if last) and ptr nodes
- Also check insertion before first node!

# Header file : list.h

---

```
#include <stdio.h>
#include <stdlib.h>
struct list {
    int data;
    struct list * next;
};
typedef struct list ELEMENT;
typedef ELEMENT * LINK;
```

# Create\_node function

---

```
Listpointer create_node(int data)
{
    LINK new;
    new = (LINK) malloc (sizeof (ELEMENT));
    new -> data = data;
    return (new);
}
```

# insert function

---

```
LINK insert (int data, LINK ptr)
{
    LINK new, prev, first;
    new = create_node(data);
    if (ptr == NULL || data < ptr -> value)
    {
        // insert as new first node
        new -> next = ptr;
        return new;
        // return pointer to first node
    }
}
```

```
else          // not first one
{
    first = ptr; // remember start
    prev = ptr;
    ptr = ptr -> next; // second
    while (ptr != NULL && data > ptr -> data)
    {
        // move along
        prev = ptr;
        ptr = ptr -> next;
    }
    prev -> next = new; // link in
    new -> next = ptr; //new node
    return first;
}      // end else
}      // end insert
```


# Deletion

---

To delete a data item from a linked list involves (assuming it occurs only once!):

- finding the data item in the list, and
- linking out this node, and
- freeing up this node as free space.

# Example of Deletion



- When ptr finds the item to be deleted, e.g. 8, we need the previous node to make the link to the next one after ptr (i.e.  $\text{ptr} \rightarrow \text{next}$ ).
- Also check whether first node is to be deleted.


```
// delete the item from ascending list
LINK delete_item(int data, LINK ptr) {
    LINK prev, first;
    first = ptr;          // remember start
    if (ptr == NULL) {
        return NULL;
    }
    else
        if (data == ptr -> data) // first node
    {
        ptr = ptr -> next;    // second node
        free(first);           // free up node
        return ptr;             // second
    }
}
```

```
else // check rest of list
{
    prev = ptr;
    ptr = ptr -> next;

        // find node to delete
while (ptr != NULL && data > ptr->data)
{
    prev = ptr;
    ptr = ptr -> next;
}
```

```
if (ptr == NULL || data != ptr->data)
    // NOT found in ascending list
    // nothing to delete
{
    return first; // original
}
else // found, delete ptr node
{
    prev -> next = ptr -> next;
    free(ptr); // free node
    return first; // original
}
}
} // end delete
```


# Representation with Dummy Node



- Insertion at the beginning is the same as insertion after the dummy node

# Initialization

head



Write a function that initializes LIST

```
typedef struct list {
```

```
    int data;
```

```
    struct list *next;
```

```
} ELEMENT;
```

```
ELEMENT* Initialize (int element) {
```

```
    ELEMENT *head;
```

```
    head = (ELEMENT *)calloc(1,sizeof(data)); /* Create initial node */
```


```
    head->data = element; head -> next = NULL;
```

```
    return head;
```


```
}
```

**head**

# Insert




**head**




```
ELEMENT* Insert(ELEMENT *head, int element, int position) {
    int i=0;
    ELEMENT *temp, *new;
    if (position < 0) {
        printf("\nInvalid index %d\n", position);
        return head;
    }
    temp = head;
    for(i=0;i<position;i++){
        temp=temp->next;
        if(temp==NULL) {
            printf("\nInvalid index %d\n", position);
            return head;
        }
    }
    new = (ELEMENT *)calloc(1,sizeof(ELEMENT));
    new ->data = element;
    new -> next = temp -> next;
    temp -> next = new;
    return head;
}
```

# Delete

head



head



```
ELEMENT* Delete(data *head, int position) {  
    int i=0;data *temp,*hold;  
    if (position < 0) {  
        printf("\nInvalid index %d\n", position);  
        return head;  
    }  
    temp = head;  
    while ((i < position) && (temp -> next != NULL)) {  
        temp = temp -> next;    i++;  
    }  
    if (temp -> next == NULL) {  
        printf("\nInvalid index %d\n", position);  
        return head;  
    }  
    hold = temp -> next;  
    temp -> next = temp -> next -> next;  
    free(hold);  
    return head;  
}
```

# Searching a data element


```
int Search (ELEMENT *head, int element) {  
    int i; ELEMENT *temp;  
    i = 0;  
    temp = head -> next;  
    while (temp != NULL) {  
        if (temp -> x == element)  
            return TRUE;  
        temp = temp -> next;  
        i++;  
    }  
    return FALSE;  
}
```

# Printing the list

---

```
void Print (ELEMENT *head)
{
    ELEMENT *temp;
    temp = head -> next;
    while (temp != NULL)  {
        printf("%d->", temp -> data);
        temp = temp -> next;
    }
}
```

# Print the list backwards



How can you when the links are in forward direction ?


Can you apply recursion?

# Print the list backwards

```
void PrintArray(ELEMENT *head) {  
    if(head -> next == NULL) {  
        /*boundary condition to stop recursion*/  
        printf(" %d->",head -> data);  
        return;  
    }  
    PrintArray(head -> next); /* calling function recursively*/  
    printf(" %d ->",head -> data);/* Printing current elemen  
return;  
}
```

# Free the LIST

head




We can free temp1 only after we have retrieved the address of the next element (temp2) from temp1.

# Free the list


---

```
void Free(ELEMENT *head) {  
    ELEMENT *temp1, *temp2;  
    temp1 = head;  
    while(temp1 != NULL) /*boundary condition check*/  
    {  
        temp2 = temp1 -> next;  
        free(temp1);  
        temp1 = temp2;  
    }  
}
```


1. A one-element list




2. A second element is attached



3. Updating the tail



4. after assigning NULL



## **/\* Count a list recursively \*/**

```
int count (LINK head) {  
    if (head == NULL)  
        return 0;  
    return 1+count(head->next);  
}
```

## **/\* Count a list iteratively \*/**

```
int count (LINK head) {  
    int cnt = 0;  
    for ( ; head != NULL; head=head->next)  
        ++cnt;  
    return cnt;  
}
```

# **/\* Print a List \*/**

---

```
void PrintList (LINK head)  {
    if (head == NULL)
        printf ("NULL") ;
    else {
        printf ("%c --> ", head->d) ;
        PrintList (head->next);
    }
}
```


# **/\* Concatenate two Lists \*/**

---

```
void concatenate (LINK ahead, LINK bhead) {
    if (ahead->next == NULL)
        ahead->next = bhead ;
    else
        concatenate (ahead->next, bhead);
}
```

# Insertion


- Insertion in a list takes a fixed amount of time once the position in the list is found.



# Insertion


```
/* Inserting an element in a linked list. */  
void insert (LINK p1, LINK p2, LINK q) {  
    p1->next = q;  
    q->next = p2;  
}
```

After Insertion




# Deletion

**Before deletion**




$p \rightarrow \text{next} = p \rightarrow \text{next} \rightarrow \text{next};$




# Deletion

Before deletion



```
q = p->next;  
p->next = p->next->next;
```

After deletion



# Delete a list and free memory

---

```
/* Recursive deletion of a list */  
void delete_list (LINK head) {  
    if (head != NULL) {  
        delete_list (head->next) ;  
        free (head) ; /* Release storage */  
    }  
}
```