

Assignment 2: Algorithmic Game Theory

Palash Dey
Indian Institute of Technology, Kharagpur

September 1, 2019

Submit the problems in brown color. Deadline: 10 September 2019 midnight. Submit it in my mail box in the Department.

1. Let $\Gamma = \langle N, (S_i)_{i \in N}, (u_i)_{i \in N} \rangle$ be a game in strategic form. Let $\sigma_i \in \Delta(S_i)$ be mixed strategies of the players and $\sigma = \prod_{i \in N} \sigma_i$. Prove that σ is a CE if and only if $(\sigma_i)_{i \in N}$ is an MSNE.
2. Let $\Gamma = \langle N, (S_i)_{i \in N}, (u_i)_{i \in N} \rangle$ be a game in strategic form. Prove that a distribution $\sigma \in \Delta(\prod_{i \in N} S_i)$ is a CE if and only if the following holds for every $i \in N$ and every $\delta_i : S_i \rightarrow S_i$.

$$\mathbb{E}_{s \sim \sigma}[u_i(s)] \geq \mathbb{E}_{s \sim \sigma}[u_i(\delta_i(s_i), s_{-i})]$$

3. Give an example of a game which has a PSNE but the best response dynamics can run forever.
4. Let α be a correlated equilibrium of a matrix game. Prove that $u_1(\alpha)$ (the utility of the row player) is equal to the value of the game in mixed strategies.
5. Compute all correlated equilibrium of the following coordination game.
 - ▷ The set of players (N) : {1, 2}
 - ▷ The set of strategies: $S_i = \{A, B\}$ for every $i \in [2]$

▷ Payoff matrix:

		Player 2	
		A	B
Player 1	A	(2, 2)	(0, 6)
	B	(6, 0)	(1, 1)

6. Compute all correlated equilibrium of the following coordination game.
 - ▷ The set of players (N) : {1, 2}
 - ▷ The set of strategies: $S_i = \{A, B\}$ for every $i \in [2]$

▷ Payoff matrix:

		Player 2	
		A	B
Player 1	A	(2, 2)	(0, 0)
	B	(0, 0)	(1, 1)

7. Prove that as the degree p of the cost function in the bottom link of Pigou's network goes to ∞ , the price of anarchy of Pigou's network tends to ∞ as $\frac{p}{\ln p}$.
8. Prove that in a selfish load balancing game with 3 tasks and 2 identical machines, the PoA with respect to PSNE is 1.