


CS60020: Foundations of Algorithm Design and Machine Learning

Sourangshu Bhattacharya




Fibonacci numbers

Recursive definition:

$$F_n = \begin{cases} 1 & \text{if } n = 0; \\ 1 & \text{if } n = 1; \\ F_{n-1} + F_{n-2} & \text{if } n \geq 2. \end{cases}$$

0 1 1 2 3 5 8 13 21 34 L



Fibonacci numbers


Recursive definition:

$$F_n = \begin{cases} 0 & \text{if } n = 0; \\ 1 & \text{if } n = 1; \\ F_{n-1} + F_{n-2} & \text{if } n \geq 2. \end{cases}$$

0 1 1 2 3 5 8 13 21 34 L

Naive recursive algorithm: $\Omega(\phi^n)$


(exponential time), where $\phi = (1 + \sqrt{5})/2$ is the *golden ratio*.



Computing Fibonacci numbers

Bottom-up:

- Compute $F_0, F_1, F_2, \dots, F_n$ in order, forming each number by summing the two previous.
- Running time: $\Theta(n)$.



Computing Fibonacci numbers


Bottom-up:

- Compute $F_0, F_1, F_2, \dots, F_n$ in order, forming each number by summing the two previous.
- Running time: $\Theta(n)$.

Naive recursive squaring:


$F_n = \phi^n / \sqrt{5}$ rounded to the nearest integer.

- Recursive squaring: $\Theta(\lg n)$ time.
- This method is unreliable, since floating-point arithmetic is prone to round-off errors.



Recursive squaring


Theorem:
$$\begin{bmatrix} F_{n+1} & F_n \\ F_n & F_{n-1} \end{bmatrix} = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^n .$$



Recursive squaring

Theorem:
$$\begin{bmatrix} F_{n+1} & F_n \\ F_n & F_{n-1} \end{bmatrix} = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^n .$$

Algorithm: Recursive squaring.
Time = $\Theta(\lg n)$.



Recursive squaring


Theorem:
$$\begin{bmatrix} F_{n+1} & F_n \\ F_n & F_{n-1} \end{bmatrix} = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^n .$$

Algorithm: Recursive squaring.

Time = $\Theta(\lg n)$.

Proof of theorem. (Induction on n .)

Base ($n = 1$):
$$\begin{bmatrix} F_2 & F_1 \\ F_1 & F_0 \end{bmatrix} = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^1 .$$




Recursive squaring

Inductive step ($n \geq 2$):

$$\begin{aligned}
 \begin{bmatrix} F_{n+1} & F_n \\ F_n & F_{n-1} \end{bmatrix} &= \begin{bmatrix} F_n & F_{n-1} \\ F_{n-1} & F_{n-2} \end{bmatrix} \cdot \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix} \\
 &= \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^{n-1} \cdot \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix} \\
 &= \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}^n
 \end{aligned}$$






Matrix multiplication

Input: $A = [a_{ij}], B = [b_{ij}].$ } $i, j = 1, 2, \dots, n.$
Output: $C = [c_{ij}] = A \cdot B.$


$$\begin{bmatrix} c_{11} & c_{12} & \cdots & c_{1n} \\ c_{21} & c_{22} & \cdots & c_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ c_{n1} & c_{n2} & \cdots & c_{nn} \end{bmatrix} = \begin{bmatrix} a_{11} & a_{12} & \cdots & a_{1n} \\ a_{21} & a_{22} & \cdots & a_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{n1} & a_{n2} & \cdots & a_{nn} \end{bmatrix} \cdot \begin{bmatrix} b_{11} & b_{12} & \cdots & b_{1n} \\ b_{21} & b_{22} & \cdots & b_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ b_{n1} & b_{n2} & \cdots & b_{nn} \end{bmatrix}$$

$$c_{ij} = \sum_{k=1}^n a_{ik} \cdot b_{kj}$$



Standard algorithm


```
for  $i \leftarrow 1$  to  $n$   
  do for  $j \leftarrow 1$  to  $n$   
    do  $c_{ij} \leftarrow 0$   
      for  $k \leftarrow 1$  to  $n$   
        do  $c_{ij} \leftarrow c_{ij} + a_{ik} \cdot b_{kj}$ 
```



Standard algorithm

```
for  $i \leftarrow 1$  to  $n$   
  do for  $j \leftarrow 1$  to  $n$   
    do  $c_{ij} \leftarrow 0$   
      for  $k \leftarrow 1$  to  $n$   
        do  $c_{ij} \leftarrow c_{ij} + a_{ik} \cdot b_{kj}$ 
```

Running time = $\Theta(n^3)$



Divide-and-conquer algorithm

IDEA:

$n \times n$ matrix = 2×2 matrix of $(n/2) \times (n/2)$ submatrices:

$$\begin{bmatrix} r & s \\ t & u \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} e & f \\ g & h \end{bmatrix}$$

$$C = A \cdot B$$

$$r = ae + bg$$


$$s = af + bh$$

$$t = ce + dg$$

$$u = cf + dh$$

8 mults of $(n/2) \times (n/2)$ submatrices

4 adds of $(n/2) \times (n/2)$ submatrices



Divide-and-conquer algorithm

IDEA:

$n \times n$ matrix = 2×2 matrix of $(n/2) \times (n/2)$ submatrices:

$$\begin{bmatrix} r & s \\ t & u \end{bmatrix} = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \cdot \begin{bmatrix} e & f \\ g & h \end{bmatrix}$$

$$C = A \cdot B$$

$$r = ae + bg$$

$$s = af + bh$$


$$t = ce + dh$$

$$u = cf + dg$$

recursive

8 mults of $(n/2) \times (n/2)$ submatrices

4 adds of $(n/2) \times (n/2)$ submatrices




Analysis of D&C algorithm

$$T(n) = 8 T(n/2) + \Theta(n^2)$$

submatrices

submatrix size

*work adding
submatrices*



Analysis of D&C algorithm


$$T(n) = 8T(n/2) + \Theta(n^2)$$

submatrices

submatrix size

work adding
submatrices

$$n^{\log_b a} = n^{\log_2 8} = n^3 \implies \text{CASE 1} \implies T(n) = \Theta(n^3).$$



Analysis of D&C algorithm

$$T(n) = 8T(n/2) + \Theta(n^2)$$


submatrices

submatrix size

work adding
submatrices


$$n^{\log_b a} = n^{\log_2 8} = n^3 \implies \text{CASE 1} \implies T(n) = \Theta(n^3).$$

No better than the ordinary algorithm.



Strassen's idea

- Multiply 2×2 matrices with only 7 recursive mults.



Strassen's idea

- Multiply 2×2 matrices with only 7 recursive mults.

$$P_1 = a \cdot (f - h)$$

$$P_2 = (a + b) \cdot h$$


$$P_3 = (c + d) \cdot e$$

$$P_4 = d \cdot (g - e)$$

$$P_5 = (a + d) \cdot (e + h)$$

$$P_6 = (b - d) \cdot (g + h)$$

$$P_7 = (a - c) \cdot (e + f)$$



Strassen's idea

- Multiply 2×2 matrices with only 7 recursive mults.

$$P_1 = a \cdot (f - h)$$

$$P_2 = (a + b) \cdot h$$

$$P_3 = (c + d) \cdot e$$

$$P_4 = d \cdot (g - e)$$

$$P_5 = (a + d) \cdot (e + h)$$

$$P_6 = (b - d) \cdot (g + h)$$


$$P_7 = (a - c) \cdot (e + f)$$

$$r = P_5 + P_4 - P_2 + P_6$$

$$s = P_1 + P_2$$

$$t = P_3 + P_4$$

$$u = P_5 + P_1 - P_3 - P_7$$



Strassen's idea

- Multiply 2×2 matrices with only 7 recursive mults.

$$P_1 = a \cdot (f - h)$$

$$P_2 = (a + b) \cdot h$$

$$P_3 = (c + d) \cdot e$$

$$P_4 = d \cdot (g - e)$$

$$P_5 = (a + d) \cdot (e + h)$$

$$P_6 = (b - d) \cdot (g + h)$$

$$P_7 = (a - c) \cdot (e + f)$$

$$r = P_5 + P_4 - P_2 + P_6$$


$$s = P_1 + P_2$$

$$t = P_3 + P_4$$

$$u = P_5 + P_1 - P_3 - P_7$$

7 mults, 18 adds/subs.

Note: No reliance on commutativity of mult!



Strassen's idea

- Multiply 2×2 matrices with only 7 recursive mults.

$$P_1 = a \cdot (f - h)$$

$$P_2 = (a + b) \cdot h$$

$$P_3 = (c + d) \cdot e$$

$$P_4 = d \cdot (g - e)$$

$$P_5 = (a + d) \cdot (e + h)$$

$$P_6 = (b - d) \cdot (g + h)$$

$$P_7 = (a - c) \cdot (e + f)$$

$$r = P_5 + P_4 - P_2 + P_6$$

$$= (a + d)(e + h)$$

$$+ d(g - e) - (a + b)h$$


$$+ (b - d)(g + h)$$

$$= ae + ah + de + dh$$

$$+ dg - de - ah - bh$$


$$+ bg + bh - dg - dh$$

$$= ae + bg$$



Strassen's algorithm

- 1. *Divide*:** Partition A and B into $(n/2) \times (n/2)$ submatrices. Form terms to be multiplied using $+$ and $-$.
- 2. *Conquer*:** Perform 7 multiplications of $(n/2) \times (n/2)$ submatrices recursively.
- 3. *Combine*:** Form C using $+$ and $-$ on $(n/2) \times (n/2)$ submatrices.



Strassen's algorithm

- 1. *Divide*:** Partition A and B into $(n/2) \times (n/2)$ submatrices. Form terms to be multiplied using $+$ and $-$.
- 2. *Conquer*:** Perform 7 multiplications of $(n/2) \times (n/2)$ submatrices recursively.
- 3. *Combine*:** Form C using $+$ and $-$ on $(n/2) \times (n/2)$ submatrices.

$$T(n) = 7 T(n/2) + \Theta(n^2)$$