

Structures

What is a Structure?

- Used for handling a group of logically related data items
 - Examples:
 - Student name, roll number, and marks
 - Real part and complex part of a complex number
- Helps in organizing complex data in a more meaningful way
- The individual structure elements are called **members**

Defining a Structure

```
struct tag {  
    member 1;  
    member 2;  
    :  
    member m;  
};
```

- ❑ **struct** is the required C keyword
- ❑ **tag** is the name of the structure
- ❑ **member 1, member 2, ...** are individual member declarations
- ❑ Do not forget the ; at the end!

Contd.

- The individual members can be ordinary variables, pointers, arrays, or other structures (any data type)
 - The member names within a particular structure must be distinct from one another
 - A member name can be the same as the name of a variable defined outside of the structure
- Once a structure has been defined, the individual structure-type variables can be declared as:

```
struct tag var_1, var_2, ..., var_n;
```

Example

- A structure definition

```
struct student {  
    char name[30];  
    int roll_number;  
    int total_marks;  
    char dob[10];  
};
```

- Defining structure variables:

```
struct student a1, a2, a3;
```



A new data-type

A Compact Form

- It is possible to combine the declaration of the structure with that of the structure variables:

```
struct tag {  
    member 1;  
    member 2;  
    :  
    member m;  
} var_1, var_2,..., var_n;
```

- Declares three variables of type **struct tag**
- In this form, **tag** is optional

Accessing a Structure

- The members of a structure are processed individually, as separate entities
 - Each member is a separate variable
- A structure member can be accessed by writing **variable.member**
where **variable** refers to the name of a structure-type variable, and **member** refers to the name of a member within the structure
- Examples:
 - a1.name, a2.name, a1.roll_number, a3.dob**

Example: Complex number addition

```
struct complex
{
    float real;
    float img;
};

int main()
{
    struct complex a, b, c;
    scanf ("%f %f", &a.real, &a.img);
    scanf ("%f %f", &b.real, &b.img);
    c.real = a.real + b.real;
    c.img = a.img + b.img;
    printf ("\n %f + %f j", c.real, c.img);
    return 0;
}
```

Defines the structure

Declares 3 variable of type struct complex

Accessing the variables is the same as any other variable, just have to follow the syntax to specify which field of the Structure you want

Operations on Structure Variables

- Unlike arrays, a structure variable can be directly assigned to another structure variable of the same type

`a1 = a2;`

- All the individual members get assigned
- Two structure variables can not be compared for equality or inequality

`if (a1 == a2).....` ← this cannot be done

Arrays of Structures

- Once a structure has been defined, we can declare an array of structures

```
struct student class[50];
```



type name

- The individual members can be accessed as:

```
class[i].name
```

```
class[5].roll_number
```

Example: Reading and Printing Array of Structures

```
int main()
{
    struct complex A[100];
    int n;
    scanf("%d", &n);
    for (i=0; i<n; i++)
        scanf("%f%f", &A[i].real, &A[i].img);
    for (i=0; i<n; i++)
        printf("%f + %f\n", A[i].real, A[i].img);
}
```

Arrays within Structures

- A structure member can be an array


```
struct student
{
    char name[30];
    int roll_number;
    int marks[5];
    char dob[10];
} a1, a2, a3;
```

- The array element within the structure can be accessed as:
a1.marks[2], a1.dob[3],...

Structure Initialization

- Structure variables may be initialized following similar rules of an array. The values are provided within the second braces separated by commas
- An example:

```
struct complex a={1.0,2.0}, b={-3.0,4.0};
```



```
a.real=1.0; a.img=2.0;  
b.real=-3.0; b.img=4.0;
```

Parameter Passing in a Function

- Structure variables can be passed as parameters like any other variables. Only the values will be copied during function invocation

```
int chkEqual(struct complex a, struct complex b)
{
    if ((a.real==b.real) && (a.img==b.img))
        return 1;
    else return 0;
}
```

Parameter Passing in a Function

- Array of structures can be passed as parameters the same way as normal arrays
- Values are changed in the array as before

```
void (struct complex a[ ], struct complex b[ ], int n)
{
    int i;
    for (i=0; i<n, i++) {
        b[i].real += a[i].real;
        b[i].img += a[i].img;
    }
}
```

Returning structures

- It is also possible to return structure values from a function. The return data type of the function should be as same as the data type of the structure itself

```
struct complex add(struct complex a, struct complex b)
{
    struct complex tmp;

    tmp.real = a.real + b.real;
    tmp.img = a.img + b.img;
    return(tmp);
}
```

Direct arithmetic operations are not possible with structure variables

Defining data type: using `typedef`

- One may define a structure data-type with a single name

```
typedef struct newtype {  
    member-variable1;  
    member-variable2;  
    .  
    member-variableN;  
} mytype;
```

- `mytype` is the name of the new data-type
 - Also called an **alias** for `struct newtype`
 - Writing the tag name `newtype` is optional, can be skipped
 - Naming follows rules of variable naming

typedef : An example

```
typedef struct {  
    float real;  
    float imag;  
} _COMPLEX;
```

- Defined a new data type named **_COMPLEX**. Now can declare and use variables of this type

```
_COMPLEX a, b, c;
```

- Note: `typedef` is not restricted to just structures, can define new types from any existing type
- Example:
 - `typedef int INTEGER`
 - Defines a new type named **INTEGER** from the known type **int**
 - Can now define variables of type **INTEGER** which will have all properties of the **int** type

`INTEGER a, b, c;`

The earlier program using `typedef`

```
typedef struct{
    float real;
    float img;
} _COMPLEX;

_COMPLEX add(_COMPLEX a, _COMPLEX b)
{
    _COMPLEX tmp;

    tmp.real = a.real + b.real;
    tmp.img = a.img + b.img;
    return(tmp);
}
```

Contd.

```
void print (_COMPLEX a)
{
    printf("(%.f, %.f) \n",a.real,a.img);
}
```

Output

```
(4.000000, 5.000000)
(10.000000, 15.000000)
(14.000000, 20.000000)
```

```
int main()
{
    _COMPLEX x={4.0,5.0}, y={10.0,15.0}, z;

    print(x);
    print(y);
    z = add(x,y);
    print(z);
    return 0;
}
```

Practice Problems

1. Extend the complex number program to include functions for addition, subtraction, multiplication, and division
2. Define a structure for representing a point in two-dimensional Cartesian co-ordinate system. Using this structure for a point
 1. Write a function to return the distance between two given points
 2. Write a function to return the middle point of the line segment joining two given points
 3. Write a function to compute the area of a triangle formed by three given points
 4. Write a main function and call the functions from there after reading in appropriate inputs (the points) from the keyboard

3. Define a structure STUDENT to store the following data for a student: name (null-terminated string of length at most 20 chars), roll no. (integer), CGPA (float). Then
 1. In main, declare an array of 100 STUDENT structures. Read an integer n and then read in the details of n students in this array
 2. Write a function to search the array for a student by name. Returns the structure for the student if found. If not found, return a special structure with the name field set to empty string (just a '\0')
 3. Write a function to search the array for a student by roll no.
 4. Write a function to print the details of all students with CGPA > x for a given x
 5. Call the functions from the main after reading in name/roll no/CGPA to search