

Internal Sorting by Comparison

Problem Specification

Consider the collection of data related to the students of a particular class. Each data consists of

- Roll Number: `char rollNo[9]`
- Name: `char name[50]`
- cgpa: `double cgpa`

It is necessary to prepare the `merit list` of the students.

Roll No.	Name	CGPA
02ZO2001	V. Bansal	7.50
02ZO2002	P. K. Singh	8.00
02ZO2003	Imtiaz Ali	8.50
02ZO2004	S. P. Sengupta	8.25
02ZO2005	P. Baluchandran	9.25
02ZO2006	V. K. R. V. Rao	9.00
02ZO2007	L. P. Yadav	6.50
02ZO2008	A. Maria Watson	8.00
02ZO2009	S. V. Reddy	7.00
02ZO2010	D. K. Sarlekar	7.50

Sorting

The merit list should be sorted on **cgpa** of a student.

Roll No.	Name	CGPA
02ZO2005	P. Baluchandran	9.25
02ZO2006	V. K. R. V. Rao	9.00
02ZO2003	Imtiaz Ali	8.50
02ZO2004	S. P. Sengupta	8.25
02ZO2002	P. K. Singh	8.00
02ZO2008	A. Maria Watson	8.00
02ZO2001	V. Bansal	7.50
02ZO2010	D. K. Sarlekar	7.50
02ZO2009	S. V. Reddy	7.00
02ZO2007	L. P. Yadav	6.50

Problem Abstraction

We only consider the **cgpa** field for discussion of sorting algorithms.

Unsorted Data									
7.5	8.0	8.5	8.25	9.25	9.0	6.5	8.0	7.0	7.5

Sorted Data									
9.25	9.0	8.5	8.25	8.0	8.0	7.5	7.5	7.0	6.5

Simple Sorting Algorithms

- Selection Sort
- Insertion Sort
- Bubble Sort

Selection Sort

The data is stored in an 1-D array and we sort them in **non-ascending** order. Let the number of data be n


for $i \leftarrow 0$ to $n - 2$ do

$\text{maxIndex} \leftarrow \text{indexOfMax}(\{a[i], \dots, a[n-1]\})$


$a[i] \leftrightarrow a[\text{maxIndex}]$ # *Exchange*

endFor


Unsorted Data




After i=0



After i=1



After i=2



C Program

```
int indexOfMax(double cgpa[],int low,int high) {
    int max ;

    if(low == high) return low;
    max = indexOfMax(cgpa,low+1,high);
    if(cgpa[low] > cgpa[max]) return low ;
    return max;
} // selSort.c

#define EXCH(X,Y,Z) ((Z)=(X), (X)=(Y), (Y)=(Z))
void selectionSort(double cgpa[], int noOfStdnt) {
    int i ;

    for(i = 0; i < noOfStdnt - 1; ++i) {
        int max = indexOfMax(cgpa, i, noOfStdnt-1);
```

```
        double temp ;  
        EXCH(cgpa[i], cgpa[max], temp);  
    }  
} // selSort.c
```

Measure of Goodness of an Algorithm

- Correctness of the algorithm.
- Increase of execution time with the increase in the size of input.
- Increase of the requirement of **extra space** (other than the space required by the input data) with the increase in the size of input.
- Difficulty in coding the algorithm, ...

Execution Time

The execution time of a program (algorithm) depends on many factors e.g. the machine parameters (clock speed, instruction set, memory access time etc.), the code generated by the compiler, other processes sharing time on the OS, data set, data structure and encoding of the algorithm etc.

Execution Time Abstraction

It is necessary to get an abstract view of the execution time, to compare different algorithms, that essentially depends on the algorithm and the data structure.

Execution of `selectionSort()`

If there are n data, the `for-loop` in the function `selectionSort()`, is executed $(n - 1)$ times ($[i : 0 \cdots (n - 2)]$), so the number of assignments, array access, comparison and call to `indexOfMax()` are all approximately proportional to the data count, n^a .

^aIt is difficult to get the exact count of these operations from the high-level coding of the algorithm.

Execution of `indexOfMax()`

For each value of i in the `for-loop` of `selectionSort()` there is a call to `indexOfMax()` ($\text{low} \leftarrow i$)

- The call generates a sequence of $n - i$ recursive calls (including the first one).
- The total number of comparisons for each i inside `indexOfMax()`, are $2(n - i) - 1$. There are also $(n - i - 1)$ assignments and $2(n - i - 1)$ array access.

Execution Time

- The total number of function calls is

$$\sum_{i=0}^{n-2} (n - i) = \frac{(n + 2)(n - 1)}{2}.$$

- The total number of comparisons is

$$n + \sum_{i=0}^{n-2} 2(n - i) - 1 = n^2 + n - 1.$$

- The total number of assignments is

$$k(n - 1) + \sum_{i=0}^{n-2} (n - i - 1) = \frac{n(n - 1)}{2} + k(n - 1).$$

- The total number of array access is

$$\sum_{i=0}^{n-2} 2(n - i - 1) = n(n - 1).$$

Execution Time

Different operations have different costs, that makes the execution time a complex function of n . But for a large value of n (data count), the number of each of these operations is approximately proportional to n^2 .

Execution Time

If we assume identical costs for each of these operations (abstraction), the running time of **selection sort** is approximately proportional to n^{2a} .

This roughly means that the running time of **selection sort** algorithm will be **four times** if the data count is **doubled**.

^a n is the number of data to be sorted.

Time Complexity

We say that the running time or the **time complexity** of selection sort is of **order n^2** , $\Theta(n^2)$. We shall define this notion precisely.

Space Complexity

In the recursive implementation of `indexOfMax()`, the depth of nested calls may go upto n . Considering the space for the local variables e.g. `max`, the **extra space** requirement is proportional to n .

Space Complexity

The extra space requirement or the **space complexity** of this program is of **order n , $\Theta(n)$** . We can reduce the space requirement using a non-recursive function.

Selection Sort without Recursion


```
#define EXCH(X,Y,Z) ((Z)=(X), (X)=(Y), (Y)=(Z))
void selectionSort(double cgpa[], int noOfStdnt) {
    int i ;

    for(i = 0; i < noOfStdnt - 1; ++i) {
        int max, j ;
        double temp ;

        temp = cgpa[i] ;
        max = i ;
        for(j = i+1; j < noOfStdnt; ++j)
            if(cgpa[j] > temp) {
                temp = cgpa[j] ;
                max = j ;
            }
    }
}
```

```
        }  
        EXCH(cgpa[i], cgpa[max], temp);  
    }  
} // selSort1.c
```

Space Complexity

In the non-recursive version, the volume of extra space does not depend on the number of data elements. There are four (4) local variables and two (2) parameters. The space requirement is a constant and is expressed as $\Theta(1)$ ($n^0 = 1$).

Note


We shall introduce the notion of **upper bound** (O), **lower bound** (Ω) and **order** (Θ) of non-decreasing positive real-valued functions. These notations will be useful to talk about the running time and space usages of algorithms.


Big O : Asymptotic Upper Bound

Consider two functions $f, g : \mathbb{N} \longrightarrow \mathbb{R}^+$. We say $f(n)$ is $O(g(n))$ ($f(n) \in O(g(n))$ or $f(n) = O(g(n))$), if there are two positive constants c and n_0 such that $0 \leq f(n) \leq cg(n)$, for all $n \geq n_0$.
 $g(n)$ is an upper bound of $f(n)$.

Ω : Asymptotic Lower Bound

Consider two functions $f, g : \mathbb{N} \longrightarrow \mathbb{R}^+$. We say $f(n)$ is $\Omega(g(n))$ ($f(n) \in \Omega(g(n))$ or $f(n) = \Omega(g(n))$), if there are two positive constants c and n_0 such that $0 \leq cg(n) \leq f(n)$, for all $n \geq n_0$.
 $g(n)$ is a lower bound of $f(n)$.





Examples

- $n^2 + n + 5 = O(n^2)$: It is easy to verify that $2n^2 \geq n^2 + n + 5$ for all $n \geq 3$ i.e. $c = 2$ and $n_0 = 3$.
- $n^2 + n + 5 \neq O(n)$ and
- $n^2 + n + 5 = O(n^3), O(n^4), \dots$

Examples

- $n^2 + n + 5 = \Omega(n^2)$: It is easy to verify that $\frac{n^2}{2} < n^2 + n + 5$ for all n i.e. $c = 0.5$ and $n_0 = 0$.
- $n^2 + n + 5 = \Omega(n)$, $\Omega(n \log n)$, $\Omega(\log n)$ and
- $n^2 + n + 5 \neq \Omega(n^3)$, $\Omega(n^4)$, \dots .

Big Θ : Asymptotically Tight Bound


Consider two functions $f, g : \mathbb{N} \longrightarrow \mathbb{R}^+$. We say $f(n) = \Theta(g(n))$, if there are three positive constants c_1, c_2 and n_0 such that

$$0 \leq c_1 g(n) \leq f(n) \leq c_2 g(n),$$

for all $n \geq n_0$.

$g(n)$ is an asymptotically tight bound of $f(n)$ or $g(n)$ is of order $f(n)$.

$f(n) = \Theta(g(n))$ is equivalent to $f(n) = O(g(n))$ and $g(n) = O(f(n))$.



Examples

- $g(n) = n^2 + n + 5 = \Theta(n^2)$, take $c_1 = \frac{1}{3}$, $c_2 = 1$ and $n_0 = 2$.

n	0	1	2	3	...
$\frac{1}{3}g(n)$	$\frac{5}{3}$	$\frac{7}{3}$	$\frac{11}{3}$	$\frac{17}{3}$...
n^2	0	1	4	9	...

- But $n^2 + n + 5 \neq \Theta(n^3), \Theta(n), \dots$.

Selection Sort

Running time of selection sort is $\Theta(n^2)$ and the space requirement is $\Theta(1)$ (no-recursive), where n is the number of data to sort.


Note

Let n be the size of the input. The worst case running time of an algorithm is


- $\Theta(n)$ implies that it takes almost double the time if the input size is doubled;
- $\Theta(n^2)$ implies that it takes almost four times the time if the input is doubled;
- $\Theta(\log n)$ implies that it takes a constant amount of extra time if the input is doubled;

Insertion Sort


Unsorted Data




1st Step




2nd Step



2nd Step



After 2nd Step



Insertion Sort Algorithm

```
for i ← 1 to noOfStdnt - 1 do
  temp ← cgpa[i]
  for j ← i-1 downto 0 do
    if cgpa[j] < temp
      cgpa[j+1] ← cgpa[j]
    else go out of loop
  endFor
  cgpa[j+1] ← temp
endFor
```

C Program

```
void insertionSort(double cgpa[], int noOfStdnt){
    int i, j ;

    for(i=1; i < noOfStdnt; ++i) {
        double temp = cgpa[i] ;
        for(j = i-1; j >= 0; --j) {
            if(cgpa[j]<temp) cgpa[j+1]=cgpa[j];
            else break ;
        }
        cgpa[j+1] = temp ;
    }
} // insertionSort.c
```

Execution Time

Let n be the number of data. The outer for-loop will always be executed $n - 1$ times.

The number of times the inner for-loop is executed depends on data. It is entered at least once but the maximum number of execution may be i .

Execution Time

If for most of the values of i , $0 \leq i < n$, the inner loop is executed near the minimum value (for an almost sorted data), the execution time will be almost proportional to n i.e. linear in n .

Worst Case Execution Time

But in the worst case, The inner *for-loop* will be executed


$$\sum_{i=1}^{n-1} i = \frac{n(n-1)}{2} = \Theta(n^2)$$

times. So the running time of **insertion sort** is $O(n^2)$, the worst case running is $\Theta(n^2)$, the best case running time is $\Theta(n)$.

Extra Space for Computation

The extra space required for the computation of insertion sort does not depend on number of data. It is $\Theta(1)$ (so it is also $O(1)$ and $\Omega(1)$).

Bubble Sort



Bubble Sort Algorithm

```
for i ← 0 to noOfStdnt - 2 do
  exchange = NO
  for j ← noOfStdnt - 1 downto i + 1 do
    if (cgpa[j-1] < cgpa[j])
      cgpa[j-1] ↔ cgpa[j] # Exchange
      exchange = YES
  endFor
  if (exchange == NO) break
endFor
```

C Program

```
#define EXCHANGE 0
#define NOEXCHANGE 1
#define EXCH(X,Y,Z) ((Z)=(X), (X)=(Y), (Y)=(Z))
void bubbleSort(double cgpa[], int noOfStdnt) {
    int i, j, exchange, temp ;

    for(i=0; i < noOfStdnt - 1; ++i) {
        exchange = NOEXCHANGE ;
        for(j = noOfStdnt - 1; j > i; --j)
            if(cgpa[j-1] < cgpa[j]) {
                EXCH(cgpa[j-1], cgpa[j], temp);
                exchange = EXCHANGE ;
            }
        if(exchange) break ;
    }
}
```

```
    }  
} // bubbleSort.c
```

Execution Time

The number of times the outer for-loop is executed depends on the input data, as there is a conditional **break**. If the data is sorted in the desired order, there is no exchange, and in the best case the outer loop is executed only once. This makes the **best running time** of bubble sort approximately proportional to n .

Execution Time and Space

But in the worst case the outer loop is executed $n - 1$ times. The inner loop is executed $(n - 1) - i$ times for every value of i . So in the worst case, the total number of times the inner loop is executed is

$$\sum_{i=0}^{n-1} (n - 1) - i = \frac{n(n - 1)}{2} = \Theta(n^2)$$

times.

Worst Case Complexity

- The running time of bubble sort (worst case time complexity) is $O(n^2)$ (quadratic in n).
- The extra storage requirement does not depend on the size of data and the space complexity is $\Theta(1)$.