

Expressions

Expressions

- Variables and constants linked with operators
 - Arithmetic expressions
 - Uses **arithmetic operators**
 - Can evaluate to any value
 - Logical expressions
 - Uses **relational** and **logical operators**
 - Evaluates to 1 or 0 (true or false) only
 - Assignment expression
 - Uses **assignment operators**
 - Evaluates to value depending on assignment

Arithmetic Operators

■ Binary operators

- Addition: **+**
- Subtraction: **-**
- Division: **/**
- Multiplication: *****
- Modulus: **%**

■ Unary operators

- Plus: **+**
- Minus: **-**

Examples

```
2*3 + 5 - 10/3
-1 + 3*25/5 - 7
distance / time
3.14* radius * radius
a * x * x + b*x + c
dividend / divisor
37 % 10
```

Contd.

- Suppose x and y are two integer variables, whose values are 13 and 5 respectively

$x + y$	18
$x - y$	8
$x * y$	65
x / y	2
$x \% y$	3

- 
- All operators except % can be used with operands of all of the data types int, float, double, char (yes! char also! We will see what it means later)
 - % can be used only with integer operands

Operator Precedence

- In decreasing order of priority
 1. Parentheses :: ()
 2. Unary minus :: -5
 3. Multiplication, Division, and Modulus
 4. Addition and Subtraction
- For operators of the **same priority**, evaluation is from **left to right** as they appear
- Parenthesis may be used to change the precedence of operator evaluation

Examples:

Arithmetic expressions

$$a + b * c - d / e \quad \rightarrow \quad a + (b * c) - (d / e)$$

$$a * -b + d \% e - f \quad \rightarrow \quad a * (-b) + (d \% e) - f$$

$$a - b + c + d \quad \rightarrow \quad (((a - b) + c) + d)$$

$$x * y * z \quad \rightarrow \quad ((x * y) * z)$$

$$a + b + c * d * e \quad \rightarrow \quad (a + b) + ((c * d) * e)$$

Type of Value of an Arithmetic Expression

- If all operands of an operator are integer (int variables or integer constants), the value is always integer

- Example: $9/5$ will be 1, not 1.8

- Example:

```
int a=9, b=5;
```

```
printf(“%d”, a/b)
```

will print 1 and not 1.8

- 
- If at least one operand is real, the value is real
 - **Caution:** Since floating-point values are rounded to the number of significant digits permissible, the final value is an approximation of the final result
 - Example: $1/3.0 * 3.0$ may have the value **0.99999** and not **1.0**
 - So checking if $1/3.0 * 3.0$ is equal to 1.0 may return **false!!**

- 
- The type of the final value of the expression can be found by applying these rules again and again as the expression is evaluated following operator precedence

We have a problem!!

```
int a=10, b=4, c;  
float x;  
c = a / b;  
x = a / b;
```

The value of c will be 2

The value of x will be 2.0

But we want 2.5 to be stored in x

We will take care of this a little later

Assignment Expression

- Uses the assignment operator (=)
- General syntax:
$$\text{variable_name} = \text{expression}$$
- Left of = is called **l-value**, must be a modifiable variable
- Right of = is called **r-value**, can be any expression
- Examples:

$\text{velocity} = 20$

$b = 15; \text{temp} = 12.5$

$A = A + 10$

$v = u + f * t$

$s = u * t + 0.5 * f * t * t$

Contd.

- An assignment expression evaluates to a value same as any other expression
- Value of an assignment expression is the value assigned to the l-value
- Example: value of
 - $a = 3$ is 3
 - $b = 2 * 4 - 6$ is 2
 - $n = 2 * u + 3 * v - w$ is whatever the arithmetic expression $2 * u + 3 * v - w$ evaluates to given the current values stored in variables u, v, w

Contd.

- Several variables can be assigned the same value using multiple assignment operators

`a = b = c = 5;`

`flag1 = flag2 = 'y';`

`speed = flow = 0.0;`

- Easy to understand if you remember that
 - the assignment expression has a value
 - Multiple assignment operators are right-to-left associative

Example

- Consider $a = b = c = 5$
 - Three assignment operators
 - Rightmost assignment expression is $c=5$, evaluates to value 5
 - Now you have $a = b = 5$
 - Rightmost assignment expression is $b=5$, evaluates to value 5
 - Now you have $a = 5$
 - Evaluates to value 5
 - So all three variables store 5, the final value the assignment expression evaluates to is 5

Types of l-value and r-value

- Usually should be the same
- If not, the type of the r-value will be internally converted to the type of the l-value, and then assigned to it
- Example:

```
double a;
```

```
a = 2*3;
```

Type of r-value is int and the value is 6

Type of l-value is **double**, so stores 6.0

This can cause strange problems

```
int a;
```

```
a = 2*3.2;
```

- Type of r-value is float/double and the value is 6.4
- Type of l-value is int, so internally converted to 6
- So `a` stores 6, not the correct result
- But an int cannot store fractional part anyway
- So just badly written program
- Be careful about the types on both sides

More Assignment Operators

- $+=$, $-=$, $*=$, $/=$, $\%=$
- Operators for special type of assignments
- $a += b$ is the same as $a = a + b$
- Same for $-=$, $*=$, $/=$, and $\%=$
- Exact same rules apply for multiple assignment operators

Contd.

- Suppose x and y are two integer variables, whose values are 5 and 10 respectively.

$x += y$	Stores 15 in x Evaluates to 15
$x -= y$	Stores -5 in x Evaluates to -5
$x *= y$	Stores 50 in x Evaluates to 50
$x /= y$	Stores 0 in x Evaluates to 0



Logical Expressions

- Uses relational and logical operators in addition
- Informally, specifies a condition which can be true or false
- Evaluates to value 0 or 1
 - 0 implies the condition is false
 - 1 implies the condition is true

Logical Expressions

`(count <= 100)`

`((math+phys+chem)/3 >= 60)`

`((sex == 'M') && (age >= 21))`

`((marks >= 80) && (marks < 90))`

`((balance > 5000) || (no_of_trans > 25))`

`(! (grade == 'A'))`

Relational Operators

- Used to compare two quantities.

< is less than

> is greater than

<= is less than or equal to

>= is greater than or equal to

== is equal to

!= is not equal to

Examples

$10 > 20$ is false, so value is 0

$25 < 35.5$ is true, so value is 1

$12 > (7 + 5)$ is false, so value is 0

$32 \neq 21$ is true, so value is 1

- When arithmetic expressions are used on either side of a relational operator, the arithmetic expressions will be evaluated first and then the results compared

$a + b > c - d$ is the same as $(a+b) > (c-d)$

Logical Operators

- Logical AND (&&)
 - Evaluates to 1 if both the operands are non-zero
- Logical OR (||)
 - Result is true if at least one of the operands is non-zero

X	Y	X && Y	X Y
0	0	0	0
0	non-0	0	non-0
non-0	0	0	non-0
non-0	non-0	non-0	non-0



Contd

- Unary negation operator (!)
 - Single operand
 - Value is 0 if operand is non-zero
 - Value is 1 if operand is 0

Example

- $(4 > 3) \ \&\& \ (100 \neq 200)$
 - $4 > 3$ is true, so value 1
 - $100 \neq 200$ is true so value 1
 - Both operands 1 for $\&\&$, so final value 1
- $(!10) \ \&\& \ (10 + 20 \neq 200)$
 - 10 is non-0, so value $!10$ is 0
 - $10 + 20 \neq 200$ is true so value 1
 - Both operands NOT 1 for $\&\&$, so final value 0
- $(!10) \ || \ (10 + 20 \neq 200)$
 - Same as above, but at least one value non-0, so final value 1



- `a = 3 && b = 4`

- No parenthesis, so need to look at precedence and associativity
- `=` has higher precedence than `&&`
- `b=4` is an assignment expression, evaluates to 4
- `a = 3` is an assignment expression, evaluates to 3
- Both operands of `&&` are non-0, so final value of the logical expression is 1

- Note that changing to `b = 0` would have made the final value 0

Example: Use of Logical Expressions

```
void main () {  
    int i, j;  
    scanf("%d%d",&i,&j);  
    printf ("%d AND %d = %d, %d OR %d=%d\n",  
            i,j,i&& j, i,j, i||j) ;  
}
```

If 3 and 0 are entered from keyboard, output will be

3 AND 0 = 0, 3 OR 0 = 1

A Special Operator: AddressOf (&)

- Remember that each variable is stored at a location with an unique address
- Putting & before a variable name gives the address of the variable (where it is stored, not the value)
- Can be put before any variable (with no blank in between)

```
int a =10;  
printf("Value of a is %d, and address of a is  
%d\n", a, &a);
```



More on Arithmetic Expressions

Recall the earlier problem

```
int a=10, b=4, c;  
float x;  
c = a / b;  
x = a / b;
```

The value of c will be 2

The value of x will be 2.0

But we want 2.5 to be stored in x

Solution: Typecasting

- Changing the type of a variable during its use
- General form
`(type_name) variable_name`
- Example

```
x = ((float) a)/ b;
```

Now x will store 2.5 (type of a is considered to be float **for this operation only**, now it is a mixed-mode expression, so real values are generated)

- 
- Not everything can be typecast to anything
 - float/double should not be typecast to int (as an int cannot store everything a float/double can store)
 - int should not be typecast to char (same reason)
 - General rule: make sure the final type can store any value of the initial type

Example: Finding Average of 2 Integers

Wrong program

```
int a, b;  
float avg;  
scanf("%d%d", &a, &b);  
avg = (a + b)/2;  
printf("%f\n", avg);
```


average-1.c

```
int a, b;  
float avg;  
scanf("%d%d", &a, &b);  
avg = ((float) (a + b))/2;  
printf("%f\n", avg);
```

Correct programs

```
int a, b;  
float avg;  
scanf("%d%d", &a, &b);  
avg = (a + b)/2.0;  
printf("%f\n", avg);
```

average-2.c



More Operators: Increment (++) and Decrement (--)

- Both of these are unary operators; they operate on a single operand
- The increment operator causes its operand to be increased by 1
 - Example: a++, ++count
- The decrement operator causes its operand to be decreased by 1.
 - Example: i--, --distance

Pre-increment versus post-increment

- Operator written before the operand (++i, --i)
 - Called pre-increment operator (also sometimes called prefix ++ and prefix --)
 - Operand will be altered in value **before** it is utilized in the program
- Operator written after the operand (i++, i--)
 - Called post-increment operator (also sometimes called postfix ++ and postfix --)
 - Operand will be altered in value **after** it is utilized in the program

Examples

Initial values :: a = 10; b = 20;

x = 50 + ++a;

a = 11, x = 61

x = 50 + a++;

x = 60, a = 11

x = a++ + --b;

b = 19, x = 29, a = 11

x = a++ - ++a;

??

Called **side effects** (while calculating some values, something else gets changed)

Precedence among different operators (there are many other operators in C, some of which we will see later)

Operator Class	Operators	Associativity
Unary	postfix ++, --	Left to Right
Unary	prefix ++, -- - ! &	Right to Left
Binary	* / %	Left to Right
Binary	+ -	Left to Right
Binary	< <= > >=	Left to Right
Binary	== !=	Left to Right
Binary	&&	Left to Right
Binary	 	Left to Right
Assignment	= += -= *= /= &=	Right to Left

Statements in a C program

- Parts of C program that tell the computer what to do
- Different types
 - Declaration statements
 - Declares variables etc.
 - Assignment statement
 - Assignment expression, followed by a ;
 - Control statements
 - For branching and looping, like if-else, for, while, do-while (to be seen later)
 - Input/Output
 - Read/print, like printf/scanf

Example

Declaration statement

```
int a, b, larger;
```

Input/Output statement

```
scanf("%d %d", &a, &b);
```

Assignment statement

```
larger = b;
```

Control statement


```
if (a > b)
```

Assignment statement

```
    larger = a;
```

Input/Output statement

```
printf("Larger number is %d\n", larger);
```





■ Compound statements

- A sequence of statements enclosed within { and }
- Each statement can be an assignment statement, control statement, input/output statement, or another compound statement
- We will also call it block of statements sometimes informally

Example

```
int n;  
scanf("%d", &n);  
while(1) {  
    if (n > 0) break;  
    scanf("%d", &n); } Compound statement  
}
```