

CS60020: Foundations of Algorithm Design and Machine Learning

Sourangshu Bhattacharya


Binary Search Tree - Best Time

- All BST operations are $O(d)$, where d is tree depth
- minimum d is $d = \lfloor \log_2 N \rfloor$ for a binary tree with N nodes
 - › What is the best case tree?
 - › What is the worst case tree?
- So, best case running time of BST operations is $O(\log N)$

Binary Search Tree - Worst Time

- Worst case running time is $O(N)$
 - › What happens when you Insert elements in ascending order?
 - Insert: 2, 4, 6, 8, 10, 12 into an empty BST
 - › Problem: Lack of “balance”:
 - compare depths of left and right subtree
 - › Unbalanced degenerate tree

Balanced and unbalanced BST



Approaches to balancing trees


- Don't balance
 - › May end up with some nodes very deep
- Strict balance
 - › The tree must always be balanced perfectly
- Pretty good balance
 - › Only allow a little out of balance
- Adjust on access
 - › Self-adjusting

Balancing Binary Search Trees

- Many algorithms exist for keeping binary search trees balanced
 - › Adelson-Velskii and Landis (**AVL**) trees (height-balanced trees)
 - › **Splay trees** and other self-adjusting trees
 - › **B-trees** and other multiway search trees

Perfect Balance

- Want a **complete tree** after every operation
 - › tree is full except possibly in the lower right
- This is expensive
 - › For example, insert 2 in the tree on the left and then rebuild as a complete tree




AVL - Good but not Perfect Balance

- AVL trees are height-balanced binary search trees
- Balance factor of a node
 - › $\text{height}(\text{left subtree}) - \text{height}(\text{right subtree})$
- An AVL tree has balance factor calculated at every node
 - › For every node, heights of left and right subtree can differ by no more than 1
 - › Store current heights in each node

Height of an AVL Tree

- $N(h)$ = **minimum** number of nodes in an AVL tree of height h .
- **Basis**
 - › $N(0) = 1, N(1) = 2$
- **Induction**
 - › $N(h) = N(h-1) + N(h-2) + 1$
- **Solution** (recall Fibonacci analysis)
 - › $N(h) \geq \phi^h$ ($\phi \approx 1.62$)




Height of an AVL Tree

- $N(h) \geq \phi^h$ ($\phi \approx 1.62$)
- Suppose we have n nodes in an AVL tree of height h .
 - › $n \geq N(h)$ (because $N(h)$ was the minimum)
 - › $n \geq \phi^h$ hence $\log_{\phi} n \geq h$ (relatively well balanced tree!!)
 - › $h \leq 1.44 \log_2 n$ (i.e., Find takes $O(\log n)$)


Node Heights

Tree A (AVL)

height=2 BF=1-0=1



Tree B (AVL)




height of node = h

balance factor = $h_{\text{left}} - h_{\text{right}}$


empty height = -1

Node Heights after Insert 7

Tree A (AVL)



Tree B (not AVL)





height of node = h
balance factor = $h_{\text{left}} - h_{\text{right}}$
empty height = -1

Insert and Rotation in AVL Trees

- Insert operation may cause balance factor to become 2 or -2 for some node
 - › only nodes on the path from insertion point to root node have possibly changed in height
 - › So after the Insert, go back up to the root node by node, updating heights
 - › If a new balance factor (the difference $h_{\text{left}} - h_{\text{right}}$) is 2 or -2 , adjust tree by *rotation* around the node

Single Rotation in an AVL Tree



Insertions in AVL Trees

Let the node that needs rebalancing be α .

There are 4 cases:

Outside Cases (require single rotation) :

1. Insertion into **left** subtree **of left** child of α .
2. Insertion into **right** subtree **of right** child of α .


Inside Cases (require double rotation) :

3. Insertion into **right** subtree **of left** child of α .
4. Insertion into **left** subtree **of right** child of α .


The rebalancing is performed through four separate rotation algorithms.

AVL Insertion: Outside Case


Consider a valid
AVL subtree




AVL Insertion: Outside Case




AVL Insertion: Outside Case



Single right rotation




Outside Case Completed



AVL property has been restored!


AVL Insertion: Inside Case

Consider a valid
AVL subtree




AVL Insertion: Inside Case

Inserting into Y
destroys the
AVL property
at node j



Does “right rotation”
restore balance?


AVL Insertion: Inside Case



“Right rotation”
does not restore
balance... now k is
out of balance


AVL Insertion: Inside Case

Consider the structure of subtree Y...




AVL Insertion: Inside Case


Y = node i and
subtrees V and W




AVL Insertion: Inside Case



Double rotation : first rotation




Double rotation : second rotation




Double rotation : second rotation

right rotation complete

Balance has been restored



Implementation




No need to keep the height; just the difference in height, i.e. the **balance** factor; this has to be modified on the path of insertion even if you don't perform rotations

Once you have performed a rotation (single or double) you won't need to go back up the tree

Single Rotation

```
RotateFromRight(n : reference node pointer) {  
  p : node pointer;  
  p := n.right;  
  n.right := p.left;  
  p.left := n;  
  n := p  
}
```


You also need to
modify the heights
or balance factors
of n and p



Double Rotation

- Implement Double Rotation in two lines.

```
DoubleRotateFromRight(n : reference node pointer) {  
    ????  
}
```



Insertion in AVL Trees

- Insert at the leaf (as for all BST)
 - › only nodes on the path from insertion point to root node have possibly changed in height
 - › So after the Insert, go back up to the root node by node, updating heights
 - › If a new balance factor (the difference $h_{\text{left}} - h_{\text{right}}$) is 2 or -2 , adjust tree by *rotation* around the node


Insert in BST

```
Insert(T : reference tree pointer, x : element) : integer {
  if T = null then
    T := new tree; T.data := x; return 1; //the links to
                                         //children are null
  case
    T.data = x : return 0; //Duplicate do nothing
    T.data > x : return Insert(T.left, x);
    T.data < x : return Insert(T.right, x);
  endcase
}
```

Insert in AVL trees


```
Insert(T : reference tree pointer, x : element) : {
if T = null then
  {T := new tree; T.data := x; height := 0; return;}
case
  T.data = x : return ; //Duplicate do nothing
  T.data > x : Insert(T.left, x);
                if ((height(T.left)- height(T.right)) = 2){
                    if (T.left.data > x ) then //outside case
                        T = RotatefromLeft (T);
                    else //inside case
                        T = DoubleRotatefromLeft (T);}
  T.data < x : Insert(T.right, x);
                code similar to the left case
Endcase
  T.height := max(height(T.left),height(T.right)) +1;
  return;
}
```

Example of Insertions in an AVL Tree




Insert 5, 40


Example of Insertions in an AVL Tree



Single rotation (outside case)



Double rotation (inside case)




AVL Tree Deletion

- Similar but more complex than insertion
 - › Rotations and double rotations needed to rebalance
 - › Imbalance may propagate upward so that many rotations may be needed.


Deletion: Really Easy Case

Delete(17)




Deletion: Pretty Easy Case

Delete(15)




Deletion: Pretty Easy Case (*cont.*)

Delete(15)




Deletion (Hard Case #1)

Delete(12)




Single Rotation on Deletion




Deletion can differ from insertion – *How?*

Deletion (Hard Case)


Delete(9)



Double Rotation on Deletion




Deletion with Propagation




What different about this case?


We get to choose whether to single or double rotate!



Propagated Single Rotation



Propagated Double Rotation



Pros and Cons of AVL Trees

Arguments for AVL trees:

1. Search is $O(\log N)$ since AVL trees are **always balanced**.
2. Insertion and deletions are also $O(\log n)$
3. The height balancing adds no more than a constant factor to the speed of insertion.

Arguments against using AVL trees:

1. Difficult to program & debug; more space for balance factor.
2. Asymptotically faster but rebalancing costs time.
3. Most large searches are done in database systems on disk and use other structures (e.g. B-trees).
4. May be OK to have $O(N)$ for a single operation if total run time for many consecutive operations is fast (e.g. Splay trees).

Double Rotation Solution

```
DoubleRotateFromRight(n : reference node pointer) {  
  RotateFromLeft(n.right);  
  RotateFromRight(n);  
}
```

