



Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

Module 33: Programming in C++

Type Casting & Cast Operators: Part 2

Instructors: Abir Das and Sourangshu Bhattacharya

Department of Computer Science and Engineering
Indian Institute of Technology, Kharagpur

{*abir, sourangshu*}@cse.iitkgp.ac.in

Slides taken from NPTEL course on Programming in Modern C++

by **Prof. Partha Pratim Das**



Module Recap

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives & Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

- Understood casting in C and C++
- Explained cast operators in C++ and discussed the evils of C-style casting
- Studied `const_cast` with examples



Module Objectives

- Understand casting in C and C++
- Understand `static_cast`, and `reinterpret_cast` operators

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives & Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary



Module Outline

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

- 1 Cast Operators
 - `static_cast`
 - Built-in Types
 - Class Hierarchy
 - Hierarchy Pitfall
 - Unrelated Classes
 - `reinterpret_cast`
- 2 Module Summary



Cast Operators

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

Cast Operators



Casting in C and C++: RECAP (Module 32)

- Casting in C
 - Implicit cast
 - Explicit C-Style cast
 - **Loses type information in several contexts**
 - **Lacks clarity of semantics**
- Casting in C++
 - Performs fresh inference of types **without change of value**
 - Performs fresh inference of types **with change of value**
 - ▷ Using **implicit computation**
 - ▷ Using **explicit (user-defined) computation**
 - **Preserves type information** in all contexts
 - Provides **clear semantics** through **cast operators**:
 - ▷ `const_cast`
 - ▷ `static_cast`
 - ▷ `reinterpret_cast`
 - ▷ `dynamic_cast`
 - Cast operators can be **grep**-ed (searched by cast operator name) in source
 - **C-Style cast must be avoided in C++**



static_cast Operator

- `static_cast` performs all conversions allowed implicitly (not only those with pointers to classes), and also the opposite of these. It can:
 - Convert from `void*` to any pointer type
 - Convert integers, floating-point values to `enum` types
 - Convert one `enum` type to another `enum` type
- `static_cast` can perform conversions between pointers to related classes:
 - Not only up-casts, but also down-casts
 - No checks are performed during run-time to guarantee that the object being converted is in fact a full object of the destination type
- Additionally, `static_cast` can also perform the following:
 - Explicitly call a single-argument constructor or a conversion operator – The User-Defined Cast
 - Convert to rvalue references
 - Convert `enum` values into integers or floating-point values
 - Convert any type to `void`, evaluating and discarding the value



static_cast Operator: Built-in Types

```
#include <iostream>
using namespace std;
int main() { // Built-in Types
    int i = 2; long j; double d = 3.7; int *pi = &i; double *pd = &d; void *pv = 0;

    i = d; // implicit -- warning
    i = static_cast<int>(d); // static_cast -- okay
    i = (int)d; // C-style -- okay

    d = i; // implicit -- okay
    d = static_cast<double>(i); // static_cast -- okay
    d = (double)i; // C-style -- okay

    pv = pi; // implicit -- okay
    pi = pv; // implicit -- error
    pi = static_cast<int*>(pv); // static_cast -- okay
    pi = (int*)pv; // C-style -- okay

    j = pd; // implicit -- error
    j = static_cast<long>(pd); // static_cast -- error
    j = (long)pd; // C-style -- okay: sizeof(long) = 8 = sizeof(double*)
    // RISKY: Should use reinterpret_cast

    i = (int)pd; // C-style -- error: sizeof(int) = 4 != 8 = sizeof(double*)
    // Refer to Module 26 for details
}
```




static_cast Operator: Class Hierarchy

```
#include <iostream>
using namespace std;

// Class Hierarchy
class A { };
class B: public A { };

int main() {
    A a;
    B b;

    // UPCAST
    A *p = 0;
    p = &b; // implicit -- okay
    p = static_cast<A*>(&b); // static_cast -- okay
    p = (A*)&b; // C-style -- okay

    // DOWNCAST
    B *q = 0;
    q = &a; // implicit -- error
    q = static_cast<B*>(&a); // static_cast -- okay: RISKY: Should use dynamic_cast
    q = (B*)&a; // C-style -- okay
}
```



static_cast Operator: Pitfall

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

static_cast

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

reinterpret_cast

Module Summary

```
class Window { public:  
    virtual void onResize(); ...  
}  
class SpecialWindow: public Window { // derived class  
public:  
    virtual void onResize() { // derived onResize impl;  
        static_cast<Window>(*this).onResize(); // cast *this to Window, then call its onResize;  
        // this doesn't work!  
        ... // do SpecialWindow-specific stuff  
    }  
    ...  
};
```

Slices the object, creates a temporary and calls the method!

```
class SpecialWindow: public Window { // derived class  
public:  
    virtual void onResize() { // derived onResize impl;  
        Window::onResize(); // Direct call works  
        ... // do SpecialWindow-specific stuff  
    }  
    ...  
};
```



static_cast Operator: Unrelated Classes

Module 33

Instructors: Abir Das and Sourangshu Bhattacharya

Objectives & Outlines

Cast Operators

static_cast

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

reinterpret_cast

Module Summary

```
#include <iostream>
using namespace std;
```

```
// Un-related Types
```

```
class B;
class A { public:
```

```
};
class B { };
```

```
int main() {
    A a; B b;
    int i = 5;
```

```
    // B ==> A
    a = b; // error
    a = static_cast<A>(b); // error
    a = (A)b; // error
```

```
    // int ==> A
    a = i; // error
    a = static_cast<A>(i); // error
    a = (A)i; // error
```

```
}
```

```
#include <iostream>
using namespace std;
```

```
// Un-related Types
```

```
class B;
class A { public:
    A(int i = 0) { cout << "A::A(i)\n"; }
    A(const B&) { cout << "A::A(B&)\n"; }
```

```
};
class B { };
```

```
int main() {
    A a; B b;
    int i = 5;
```

```
    // B ==> A
    a = b; // Uses A::A(B&)
    a = static_cast<A>(b); // Uses A::A(B&)
    a = (A)b; // Uses A::A(B&)
```

```
    // int ==> A
    a = i; // Uses A::A(int)
    a = static_cast<A>(i); // Uses A::A(int)
    a = (A)i; // Uses A::A(int)
```

```
}
```



static_cast Operator: Unrelated Classes

```

#include <iostream>
using namespace std;

// Un-related Types
class B;
class A { int i_; public:

};
class B { public:

};
int main() { A a; B b; int i = 5;

    // B ==> A
    a = b; // error
    a = static_cast<A>(b); // error
    a = (A)b; // error

    // A ==> int
    i = a; // error
    i = static_cast<int>(a); // error
    i = (int)a; // error
}

```

```

#include <iostream>
using namespace std;

// Un-related Types
class B;
class A { int i_; public:
    A(int i = 0) : i_(i) { cout << "A::A(i)\n"; }
    operator int() { cout << "A::operator int()\n"; return i_; }
};
class B { public:
    operator A() { cout << "B::operator A()\n"; return A(); }
};
int main() { A a; B b; int i = 5;

    // B ==> A
    a = b; // B::operator A()
    a = static_cast<A>(b); // B::operator A()
    a = (A)b; // B::operator A()

    // A ==> int
    i = a; // A::operator int()
    i = static_cast<int>(a); // A::operator int()
    i = (int)a; // A::operator int()
}

```



reinterpret_cast Operator

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

- `reinterpret_cast` converts *any pointer type* to *any other pointer type*, even of unrelated classes
- The operation result is a simple binary copy of the value from one pointer to the other
- All pointer conversions are allowed: neither the content pointed nor the pointer type itself is checked
- It can also cast pointers to or from integer types
- The format in which this integer value represents a pointer is platform-specific
- The only guarantee is that a pointer cast to an integer type large enough to fully contain it (such as `intptr_t`), is guaranteed to be able to be cast back to a valid pointer (Refer to Module 26)
- The conversions that can be performed by `reinterpret_cast` but not by `static_cast` are low-level operations based on reinterpreting the binary representations of the types, which on most cases results in code which is system-specific, and thus non-portable



reinterpret_cast Operator

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

static_cast

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

reinterpret_cast

Module Summary

```
#include <iostream>
using namespace std;

class A { };
class B { };

int main() {
    long i = 2;
    double d = 3.7;
    double *pd = &d;

    i = pd; // implicit -- error
    i = reinterpret_cast<long>(pd); // reinterpret_cast -- okay
    i = (long)pd; // C-style -- okay
    cout << pd << " " << i << endl;

    A *pA;
    B *pB;

    pA = pB; // implicit -- error
    pA = reinterpret_cast<A*>(pB); // reinterpret_cast -- okay
    pA = (A*)pB; // C-style -- okay
}
```



Module Summary

Module 33

Instructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

Cast Operators

`static_cast`

Built-in Types

Class Hierarchy

Hierarchy Pitfall

Unrelated Classes

`reinterpret_cast`

Module Summary

- Studied `static_cast`, and `reinterpret_cast` with examples